






vintage feeling







The Legend is the modern solution to the vintage tonewheel organ"

Joey De Francesco



"A thing of beauty under my fingers"

Alberto Marsico



POLANO

9847007348

"Legend Solo. Can't get it out of my head!"

Francesco Lo Giudice

## Introduction

Since 1935, when **Laurens Hammond** invented the first tone-wheel organ, the sound of this instrument entered the soul of many musicians and was loved by everyone.

Unfortunately the tone-wheel organs production terminated on 1975 leaving an emptiness poorly compensated by many imitations.

VISCOUNT and KeyB combined their strong experience in order to fill this emptiness by designing the new **Legend** organs which are able to perfectly recreate the sound of tone-wheel organs and offer again the "VINTAGE FEELING".



#### MAIN FEATURES

- The new Viscount Legend organs by keyB provide you the perfect portable organ solution.
- Waterfall keyboards with high trigger points for ultra fast response
- The Legend models use the latest in tonewheel modeling technology
- Easy to play with an accurate vintage layout
- Newly designed rotary and amp simulations
- Two full sets of drawbars per each manual, plus 2 pedal drawbars
- Improved harmonic percussion and key click (soft/normal volume)
- Effects volume, vibrato, chorus, overdrive, transposer and more
- Upper and lower realtime controls are placed for easy control
- Half moon switch can be removed for transport (for **Legend** organs)
- External leslie® 11-pin output
- FX send / return plus direct bass out
- USB power port for music stand light, ipad recharge, etc.
- USB to Host, plus MIDI out in and thru

# JOEY DEFRANCESCO SIGNATURE EDITION

Legend, Legend Classic and Legend Live are also available in a JdF (Joey DeFrancesco) Signature Edition that includes the following features:

- Black satin colour with Joey's signature.
- Organ clones with sound model and related effects (Vibrato, Chorus, Percussion and Rotary Simulator) personally tuned by Joey.
- The three models were cloned from three tonewheel organs from Joey's personal collection. These organs were used to record many of his albums and for his live perfomances.

#### SOUND GENERATION


#### LATEST IN MODELING TECHNOLOGY

The new VISCOUNT by KeyB **Legend** organs, designed in cooperation with NEWTONE, use the innovative **TMT** (**Tonewheel Modeling Technology**) able to perfectly clone the classic tonewheel organ.

The result is a natural sound that can't be obtained by traditional sampling.

**Legend** serie organs reproduce also important characteristics of a tonewheel organ including cross talk, tonewheels flutter and keyclick.

Moreover there is also an accurate **Rotary Simulation**. Maybe you don't have one or it's not convenient to take a rotary speaker with you. Don't worry! The new **Legend** Simulation is incredibly realistic. It's so good you'll have to look twice to see where the rotors are, this is because of the TMT engine.



#### 2 DRAWBARS PRESETS REALTIME CONTROLS

Two "Black Octaves" (one for each manual) are available on **Legend** and **Legend** Classic models. You can change drawbars settings in realtime, like the original tonewheel organs.

### KEYBOARD

#### WATERFALL KEYBOARD

Along with the best sound and being easy to play, the **Legend** organs have two heavy-duty 61-note keyboards (one in **Legend Solo**) with the feel of an organ, not a synthesizer or cheap portable keyboard. If you play basspedals, then you can add the optional 25 or 18 full-sized console pedals. The **Legend** pedals are heavy-duty and are same radius as the classic tonewheel organs, which makes playing the pedals feel right.

#### DESIGN

#### PERFECT ARRANGEMENT

The new VISCOUNT **Legend** organs designed and engineered in Italy in cooperation with KeyB, provide incredible expressive capabilities in an easy-to-use interface in a perfect portable solution. The **Legend** uses the latest in tonewheel modelling technology allowing exigent musicians to play without compromise to the fabulous organ sound.

# Desire Rich

#### **EASY TO PLAY**

When you sit down at the **Legend**, all you have to do is turn it on and play. Everything you need and are familiar with, on a classic tonewheel organ, is there right where it belongs. No confusing menus or LCD screens full of features that you most likely don't or won't use.





### CONNECTIONS

**AUDIO CONNECTIONS** 

AUDIO IN/OUT: Legend models can be connected to either a keyboard amplifier via

outputs left / right and direct bass out. Possibly, via 11 pin connection,

they can be connected to a Rotary Speacker.

AUDIO PEDALS OUTPUT: Legend organs are the only one with a pedals output dedicated

to the sound of the pedalboard, without getting into the channel of

Vibrato/Chorus and Rotary Emulation.

FX SEND/ RETURN: Be able to connect your favorite external effect.

ANALOG IN: It allows you to connect an exsternal device.

INPUT GAIN: It allows you to control the volume of an external instruments.

PEDAL CONTROLS

EXP: Expression Pedals.

ROTARY: To change the speed of the Rotary.

MIDI

FULL MIDI: Out 1, Out 2, In, Thru, Pedalboard In.

USB

USB TO HOST: Useful to connect a computer for MIDI and software update.

USB POWER CHARGE: You can power supply SmartPhone / Tablet

### COLORS / FINISHES

#### AVAILABLE WITH DIFFERENT COLOURS / FINISHES:



Walnut real wood veneer (for Legend Classic)



American Alder (for Legend, Legend Live, Legend Solo)



Satin Black (for JdF signature series)

# Legend Classic



**Legend Classic** is a perfect reproduction of the classic tonewheel organ.

The best replacement for your aging vintage organ is finally here!

Coupled with your Leslie® or our **Hurricane** speaker, the **Legend Classic** can bring to you the foundation of your music worship with the sound of a brand new reliable maintenance free instrument for years to come.





Legend organ is able to perfectly recreate the sound of tonewheel organs offering you again the "vintage feeling" with an accurate layout and design.

With four sets of drawbars and double keyboards, this organ stands apart from all the rest in advanced technology sound, feel and much more affordable pricing.

Every aspect of a tonewheels keyboard and sound is so perfectly duplicated that players all over the world are saying "it's the best ever!"









# Legend Live



Legend Live is designed for musicians who play mainly in live gigs.

It offers almost all the features of the **Legend** in a more compact and lightweight cabinet.

With exclusive performance features and pleasing sound, players of every venue, pop, jazz, rock, country, tour, recording and church prefer the pure sound, design specs and easytransport that Legend Live offers.



# Legend Solo



Legend Solo is the perfect solution for the players who are looking for an impeccable sound of a tonewheel organ clone in the most compact and lightweight console.

This organ, which shares the same Physical Tonewheel Modeling as all Legend organs, offers the most competitive and affordable price for a drawbar instrument found today, with a level of product suitable for every player and budget.





# Legend Exp



If you want the fabulous Legend sound powered by the physical TMT modeling technology, Legend Exp module is the perfect solution for you.

The control panel offers a wide range of buttons and knobs including a series of drawbars that allow the player to fully control in real time the extensive features offered by the instrument.



# Hurricane 210




Hurricane 210 stereo powered speaker-box for perfect rotary animation duplication, has been expressly designed in cooperation with professional players, in order to provide you a perfect portable amplification solution for your Legend organs.

The six loudspeakers, powered by digital amplifiers, provide a high sound pressure level and a linear frequency response.

The special loudspeakers placement enhances the organ's internal rotary emulation, resulting in excellent sound quality.

SPECIFICATIONS			
Internal Amplification	2 x Biamplified channels	Speakers	2 x Woofer (10"), 2 x Mid Range (4"), 2 x Tweeter
Audio Inputs	3x balanced jack (Left, Right, Pedal/Mono)	Controls	Input Sensitivity, Master Volume, Equalizer (Low - Mid Gain Mid Freq High)
Distortion (THD+N)	< 0.1% (typical < 0.05%)	Power Supply	85-264 V AC, with PFC
Input Impedance	15Kohm (balanced)	Power consumption	150 W
Input Sensitivity	0dB (0.775V)	Cabinet Features	Laminated birch plywood with metal grids protection
Audio Output	3x balanced jack	Output Power Max HF	4 x 150 W RMS (Class D)
Max SPL	120dB (open space)	Protection	PTC
Frequency response	40Hz - 18000Hz	Colours / Finishes	Black scratch-resistant paint
Crossover Frequency	Active - 800Hz @ 24dB/oct	Dimensions (WxHxD)	51.5 x 69 x 48.5 cm / 20.3" x 27,2" x 19,1"
Subsonic Filter	Yes	Weight	41 kg / 90lbs





### Legend Editor

Thanks to **Legend Editor** the user can adjust the sound of the Legend in real time and save in the organ all sound generation parameters and effects. The software is available for both Windows and MacOs operating systems and works with all the instruments of the **Legend** series.

You can create different setups and save them on the computer. The Legend Editor allows you to load new tonewheel models available on www.viscountinstruments.com.

### Pedalboard

Same feeling of the original tonewheel organs' pedalboards. Just shorter and lighter. Expression pedal included!

25 notes



Suitable for Legend Wooden Stand

18 notes



Suitable for Legend Live Metal Stand

## Accessories



### Wooden Stand for Legend

The foldable **Legend Wooden Stand** is a real wood stand properly designed for **Legend** Vintage Organ!

Available in American Alder and Satin Black colour.



### Metal Stand for Legend Live

The foldable **Legend Metal Stand** is a metal stand properly designed for **Legend Live** Vintage Organ!



### Wooden bench

The foldable Wooden Bench Legend is properly designed for Legend and Legend Live Vintage Organ!

Available in American Alder and Satin Black colour.



## Transport bugs

Transport bag for Legend, Legend Live, Legend Solo, Pedalboard 25/18 notes, Wooden stand, Metal stand and Wooden bench



SPECIFICATIONS	Legend Classic	Legend	
Keyboard	Upper Keyboard - 73 notes (61 + 12 reversed keys) waterfall Lower Keyboard - 73 notes (61 + 12 reversed keys) waterfall		
Technology	TMT (Tonewheel Modeling Technology)		
Crosstalk	Unique crosstalk created for each tonewheel model		
Keyclick	A new revolutionary state of the art design		
Transposer	-6 +5 semitones		
Fine Tuning	+/- ¼ tone		
Tonewheel model	30, '50, '70, Alt.1, Alt.2, Alt.3		
Harmonic Percussion	On/Off, Volume Soft/Normal, Decay Fast/Slow, Harmonic Percurssion 2nd / 3rd, Percussion Level and Percussion Decay Controls		
String Bass	On/Off, Decay Control		
Reverb Effects	Newly modeled Spring and Hall reverbs (with pre/post Rotary simulation placement of reverb)		
Overdrive	Classic, Rock		
Modulation Effects	Vibrato/Chorus: Upper On/Off, Lower & Pedal On/Off, Select: V-1, V-2, V-3, C-1, C-2, C-3		
Rotary simulation type	Classic, Rock with Direct option; Memphis mode		
Controls	Upper Front Panel: Volume; Reverb; Drive; Keyclick; Tuning; Crosstalk; Tone Controls; Pedals Sustain; Percussion decay; Percussion Volume. Lower Front Panel: Reverb; Drive; Tonewheel Model; Transpose; Rotary; Hold (Int/Ext); Pedals direct; pedals to Lower. Half Moon: Rotary Speed Control		
Setting buttons	-		
Drawbars	Upper - 2 sets of nine drawbars: 16' - 5 1/3' - 8' - 4' - 2 2/3' - 2' - 1 3/5' - 1 1/3' - 1' Lower - 2 sets of nine drawbars: 16' - 5 1/3' - 8' - 4' - 2 2/3' - 2' - 1 3/5' - 1 1/3' - 1'		
Drawbars - Upper Preset	Upper Drawbar Set A or Set B + 9 presets and Upper MIDI Local on/off [reverse colored Preset keys]		
Drawbars - Lower Preset	Lower Drawbar Set A or Set B + 9 presets and Lower MIDI Local on/off [reverse colored Preset keys]		
Drawbars - Pedals	2 drawbars: 16' & 8'		
Display	-	•	
Connections Output	L & R Line Out 6.35 mm jacks; Pedals Direct Out 6,35 mm jack (without C/V and Rotary emulation); 2 x 11 pin Rotary Speaker (without Rotary emulation); 2 Stereo headphone 6,35 mm jacks; TRS Digital Expression Pedal 6,35 mm jack; Rotary emulation Footswitch 6,35 mm jack; USB to HOST; USB HOST type A (Power charger only); FX send.	Rotary emulation); 11 pin Rotary Speaker (without Rotary emulation); 2 Stereo headphone 6,35 mm jacks; TRS Digital Expression Pedal 6,35 mm jack; Rotary emulation Footswitch 6,35 mm jack; USB	
Connections Input	Audio input mono with adjusting gain pot; FX return.		
Midi In, Out, Thru	Out 1, Out 2, In, Thru, Pedalboard In		
Optional	-	Pedalboard 25 notes; Pedalboard 18 notes; Expression Pedal; Bench; Stand; Softbag, wooden stand	
Dimensions (WxHxD)	126,6 x 61,5 x 77,7 cm / 49.8' x 14.1' x 30.6'	17 x 18 x 59 cm / 46,4' x 7.4' x 23,2'	
Weight	57 Kg/125,6 lbs (console); 15 Kg / 33 lbs (stand)	21 kg / 46.3 lbs	

# Specifications

Legend Live	Legend Solo	Legend Exp
Upper Keyboard - 61 notes waterfall Lower Keyboard - 61 notes waterfall	61 notes waterfall	-
Unio	odel	
	A new revolutionary state of the art design	
	-6 +5 semitones	
	+/- ¼ tone	
On/Off, Volume Soft/Normal, Decay Fas Percussion Level and Pe	On/Off, Decay Fast/Slow, Harmonic Percussion 2nd / 3rd, Percussion Level and Percussion Decay Controls	
On/Off, Decay Control	-	On/Off, Decay Control
Newly modeled Spring a	nd Hall reverbs (with pre/post Rotary simular	tion placement of reverb)
	Classia Book	
Vibrata/Charria I Innar	Classic, Rock	V 2 V 2 C 1 C 2 C 2
Vibrato/Chorus: Opper	On/Off, Lower & Pedal On/Off, Select: V-1,	V-2, V-3, C-1, C-2, C-3
CI	assic, Rock with Direct option; Memphis mo	de
Upper Front Panel: Keyclick; Tuning; Crosstalk; Rotary; Transpose; Upper preset (1/2); Drawbars set (A/B/MUTE). Lower Front Panel: Tone controls; Pedal Sustain, Percussion Decay; Percussion Volume; Pedals to lower; Lower presets (1/2); Drawbars set; (A/B/MUTE); Brake (slow/fast).	Volume; Reverb; Drive; Keyclick; Crosstalk; Tone Controls; Percussion Volume and Decay; Tuning; Rotary Speed Control; Split/Double; Octave Up; Pedal to Lower; Transpose	Volume; Reverb; Drive; Vibrato/Chorus; Percussion; Drawbars; Presets; Vibrato/Chorus Upper - Lower; Memory; Rotary
-		Reverb; Rotary; Drive; Pedals; Percussion; Model; Eq
Upper - 2 sets of nine drawbars: 16' - 5 1/3' - 8' - 4' - 2 2/3' - 2' - 1 3/5' - 1 1/3' - 1' Lower - 2 sets of nine drawbars: 16' - 5 1/3' - 8' - 4' - 2 2/3' - 2' - 1 3/5' - 1 1/3' - 1'	2 sets of nine drawbars: 16' - 5 1/3' - 8' - 4' - 2 2/3' - 2' - 1 3/5' - 1 1/3' - 1'	16' - 5 1/3' - 8' - 4' - 2 2/3' - 2' - 1 3/5' - 1 1/3' - 1'
Upper Drawbar Set A or Set B + 2 p	4 presets	
Lower Drawbar Set A or Set B + 2 presets and Lower MIDI Local on/off	Upper Drawbar Set A or Set B + 4 presets and Upper MIDI Local on/off	4 presets
2 drawbar	s: 16' & 8'	4 presets
	-	3 x 7 segment digit
L & R Line Out 6.35 mm jacks; Pedals Direct Out 6,35 mm jack (without C/V and Rotary emulation); 11 pin Rotary Speaker (without Rotary emulation); 2 Stereo headphone 6,35 mm jacks; TRS Digital Expression Pedal 6,35 mm jack; Rotary emulation Footswitch 6,35 mm jack; USB to HOST; USB HOST type A (Power charger only); FX send.	L & R Line Out 6.35 mm jacks; Pedals Direct Out 6,35 mm jack (without C/V and Rotary emulation); 11 pin Rotary Speaker (without Rotary emulation); 2 Stereo headphone 6,35 mm jacks; TRS Digital Expression Pedal 6,35 mm jack; Rotary emulation Footswitch 6,35 mm jack; USB to HOST; FX send.	L & R Line Out 6.35 mm jacks; Pedals Direct Out 6,35 mm jack (without C/V and Rotary emulation); 1 Stereo headphone 6,35 mm jacks; TRS Expression Pedal 6,35 mm jack; Rotary emulation Footswitch 6,35 mm jack; USB to HOST;
Audio input mono with adj	-	
Out 1, Out 2, In, Ti	In 1, In 2 / Pedals, Out / Thru	
Pedalboard 25 notes; Pedalboard 18 notes; Expression Pedal; Bench; Softbag, metal stand	Pedalboard 25 notes; Pedalboard 18 notes; Expression Pedal; Bench; Softbag	Expression Pedal
101 x 18 x 59 cm / 40.16' x 7.4' x 23,2'	93,4 x 12,4 x 36,7 cm / 36.8' x 4.8' x 14.5'	31 x 9 x 29 cm / 12.2" x 3.5" x 11.4"
18 kg / 39.68 lbs	9,5 kg / 20.94 lbs	3 kg / 6.6 lbs



VISCOUNT by KEYB Organ

#### **VISCOUNT INTERNATIONAL S.p.A**

Via Borgo 68/70 47836 Mondaino Tel: +39 0541 981700

Fax: +39 0541 981052

www.viscountinstruments.com

